

[previous](#) [Home](#) [next](#)

3.04.1 Mail System "Mailer" (Continue)

Using the Mail System

The following example will illustrate the functionality of the mail system.

Internal mail, in addition to the actual message, can include many optional Projectile forms. This form will be created as links in the mail and can be opened from the recipients of the message (if an appropriate authorization exists). In the example, the message contains a reference to an action, which the receiver ...

The screenshot displays the 'Mailer' application window. On the left is a sidebar with a folder tree containing 'DRAFTS (0/0)', 'INBOX (9/48)', 'SCHEDULED (19/19)', and 'SENT (0/488)'. The main area shows a message form with the following fields:

- Timestamp:** 27.11.2009 15:31:43, with a 'Read' checkbox.
- Sender:** Conner Jane
- InternalRecipients:** (empty text box)
- ExternalRecipients:** (empty text box)
- Scheduled:** 26.11.2009 23:45:00
- Subject:** Action 1-14 Williams George Order
- Body:** A large empty text area.
- References:** A section at the bottom with a link icon and the text 'Action 1-14 Williams George Order'.

At the bottom of the form, there is a checkbox and a link icon next to the text 'Action 1-14 Williams George Order', which is highlighted with a yellow border.

... can open through the link.

Action 1-14 Williams George Order

Document Edit View Back references

Master data Misc

Action 1-14

Customer TLC Telecommunications Corpo **Contact** George Williams

Projectdescription 12.1 Programming 2.4

DueOn 27.11.2009 14:00

Actiontype Order

Priority 3 - normal priority

Arranger Conner Jane

Note Order for Programming 2.4

Checked ☐

A received message can be answered by using the function “Reply”.

Mailer

DRAFTS (0/0)
INBOX (9/48)
SCHEDULED (19/19)
SENT (0/488)

reply


Timestamp 27.11.2009 15:31:43 **Read** ☒

Sender Conner Jane


InternalRecipients **ExternalRecipients**

☐ Conner Jane

This functionality creates the response. Here the receiver of the response is entered as the sender and the subject and the text of the message is changed.




By using the functionality “Send message” this message is sent to the recipient (here Timothy Jones) and sending report is created.



In the work area of the user Timothy Jones, the message will appear with the next action in the system. Note: The message will not appear immediately, because the user is possibly making a transaction (for example, creating an invoice or charts), which could be interrupted with the mail.


Clicking on the appropriate e-mail message row will open the internal notification.




A received message can be answered by using the function “Reply All” . By performing this, not only the sender receives a reply, but also the other recipients of the message.

By using the function “Forward”  the received message can also be added to the functionality “Rply” and it will be sent to a different receiver.


Messages can also be moved into selected (existing or new) folder. In the following example, the message is moved by Timothy Jones in a folder “Actions”. First, the functionality “Move” is performed.




This functionality opens a dialog, where an existing folder can be selected or a new folder can be created. In the example, by using “Move”, a new folder with the name “Actions” is created...



... and the mail is moved into this new folder.




By using the functionality "New Mail", a new message can be created.




In the central area of the mail system a new message is opened. First the recipients are defined for this message. In the input field 'recipient', the recipients of the message can be entered manually or by using the address book. When manually entered, the recipient will be written into the input field and the input will be confirmed (many multiple recipients can also be defined).

By using the functionality "Check Address" , the mailing address of the recipient can be matched with the data in the system.

The address book contains...



...the relevant master data in the system (contact, contact person or employee), that are loaded appropriately via the selection box.



After selecting the recipients (here from the group of the employees Jean Griffith and Timothy Jones) and confirming with "Include selection" ...

Addressbook

Employee

Include selection

	Name	First name
☐ 1	Conner	Jane
☒ 2	Griffith	Jean
☐ 3	Jane	Conner
☒ 4	Jones	Timothy
☐ 5	Müller	Georg
☐ 6	Tate	Adam

< ||| >

Include selection

... the recipients are transferred in the new message. Afterwards the subject and the text of the message is entered. If the message defines external attachments ...

Mailer

DRAFTS (0/0)
INBOX (8/48)
SCHEDULED (26/26)
SENT (0/489)

InternalRecipients

ExternalRecipients



Attachments

Scheduled


Subject

Text

Hi,
please prepare the concept fro the meeting with the customer.
Thanks,
Jane



✕ ⓘ Mailer ? ✕



InternalRecipients

☐  [1] Griffith Jean

☐  [2] Jones Timothy



Scheduled


Subject
Interface LDAP

Text
Hi,
please prepare the concept fro the meeting with the customer.
Thanks,
Jane



☐		Description
☐	1	 Project 7 Update Projectile
☒	2	 Project 3 Introduction Projectile
☐	3	 Project 3.3 Implementation
☐	4	 Employee Conner Jane
☐	5	 Folder 40 approval





... references for the mail. These references can be any Projectile-document and can be selected for example from the personal clipboard, or by using the search engine.

In the example, the Project 3 Introduction Projectile from the personal clipboard is marked, copied and is pasted into the field reference.

By using the functionality "Send Mail" this message will be sent to the recipient and ...

Mailer

DRAFTS (1/1)
INBOX (8/48)
SCHEDULED (26/26)
SENT (0/489)

InternalRecipients

☐ Griffith Jean
☐ Jones Timothy

ExternalRecipients

☐ Integration .ods

Attachments
☐ Integration .ods

Scheduled

Subject
 Interface LDAP

Text
 Hi,
 please prepare the concept from the meeting with the customer.
 Thanks,
 Jane

Mailer

Entwürfe (0/1)
Geplante Sendungen (0/0)
Gesendet (0/317)
Posteingang (0/36)
Projekt (0/1)

Empfänger

☐ Batzeck Klaus
☐ Franke Helene

Anhänge
☐ Integration.ppt

Geplante Zeit

Betreff
 Schnittstelle Fibu und LDAP

Text
 Hallo,
 bereitet bitte das Konzept für das Meeting beim Kunden vor und macht
 Vorschläge für die Integration SAP FI und OpenLDAP.
 Danke
 Peter

... a transmission report is created.

Mailer

Die Mail 'Mail 16.09.2006 23:43:43 Schnittstelle Fibu und LDAP' wurde erfolgreich an 'Batzeck Klaus' verschickt
 Die Mail 'Mail 16.09.2006 23:43:43 Schnittstelle Fibu und LDAP' wurde erfolgreich an 'Franke Helene' verschickt

Entwürfe (0/0)
 Geplante Sendungen (0/0)
 Gesendet (0/318)
Posteingang (0/36)
 Projekt (0/1)

Posteingang

1 - 15 / 36

	Zeit	Absender	Gelesen	Betreff
1	14.09.2006 23:21:57	Müller Julia	☒	Änderungsantrag Risikobericht als Basis für Risikoreport Zur Entwicklung freigegeben
2	14.09.2006 15:31:02	Benutzer Superuser	☒	Aktion beendet: Projektauswertung 30
3	13.09.2006 10:04:17	Schaub Peter	☒	Aktion 1.1-11 Nahl Lisa Informationsmaterial
4	05.09.2006 15:07:30	Müller Julia	☒	Abgelehnt: Fertigmeldung erfasster Zeiten für Schaub Peter bis 31.08.2006
5	05.09.2006 15:05:38	Schaub Peter	☒	Fertigmeldung erfasster Zeiten für Schaub Peter bis 31.08.2006
6	26.08.2006 21:58:54	Schaub Peter	☒	Termin 25.08.2006 10:00:00 Projekt-Meeting mit Herrn Jahl
7	25.08.2006 15:46:53	Schaub Peter	☒	Änderungsantrag Erweiterung Flow-Interface Zur Entwicklung freigegeben
8	25.08.2006 14:31:36	Müller Julia	☒	Abgelehnt: Fertigmeldung erfasster Zeiten für Schaub Peter bis 31.08.2006
9	25.08.2006 14:28:51	Schaub Peter	☒	Fertigmeldung erfasster Zeiten für Schaub Peter bis 31.08.2006
10	25.08.2006 13:06:15	Schaub Peter	☒	Termin 25.08.2006 10:00:00 Projekt-Meeting mit Herrn Jahl
11	21.08.2006 11:59:27	Schaub Peter	☒	Aktion 1.1-12 Nahl Lisa Wiedervorlage
12	21.08.2006 11:53:41	Batzeck Klaus	☒	Fertigmeldung erfasster Zeiten für Batzeck Klaus bis 31.07.2006
13	17.08.2006 12:20:04	Müller Julia	☒	Abgelehnt: Abwesenheit beantragen Schaub Peter, Urlaub von 01.11.2006 bis 18.11.2006
14	25.07.2006 14:02:01	Müller Julia	☒	Freigegeben: Abwesenheit beantragen Schaub Peter, Urlaub von 01.11.2006 bis 04.11.2006
15	13.07.2006 14:45:37	Müller Julia	☒	Abgelehnt: Fertigmeldung erfasster Zeiten für Schaub Peter bis 30.06.2006

nächste Seite

In the mail system, messages can be deleted. By using the functionality "Delete Mail", all marked messages in a folder are deleted and ...

Mailer


Entwürfe (0/0)
 Geplante Sendungen (0/0)
 Gesendet (0/10)
Posteingang (0/9)

Posteingang


1 - 9 / 9

	Zeit	Absender	Gelesen	Betreff
1	19.12.2006 16:33:19	Schaub Peter	☒	Fertigmeldung erfasster Zeiten für Schaub Peter bis 31.12.2006
2	30.11.2006 15:40:22	Schaub Peter	☒	Fertigmeldung erfasster Zeiten für Schaub Peter bis 30.11.2006
3	30.11.2006 14:59:33	Schaub Peter	☒	Termin 30.11.2006 12:00:00 Projekt-Meeting CONSULT
4	29.11.2006 11:25:42	Schaub Peter	☒	Fertigmeldung erfasster Zeiten für Schaub Peter bis 30.11.2006
5	23.11.2006 18:13:49	Schaub Peter	☒	Termin 23.11.2006 17:00:00 Projektbesprechung 64-UBS
6	23.11.2006 11:12:43	Schaub Peter	☒	Fertigmeldung erfasster Zeiten für Schaub Peter bis 31.10.2006
7	17.11.2006 16:45:19	Schaub Peter	☒	Termin 17.11.2006 17:00:00 Projektbesprechung 64
8	13.11.2006 11:45:17	Schaub Peter	☒	Termin 13.11.2006 12:00:00 Projekt-Meeting CONSULT
9	18.10.2006 11:45:44	Schaub Peter	☒	Termin 18.10.2006 12:00:00 Projekt-Meeting CONSULT

... after confirming the warning dialogue ...




... they are permanently deleted.



By using the functionality "Find Mail", messages from the system can be ...




... found by using the search dialog. In the example, all messages, which ...



The 'Mail finden' (Find Mail) window contains a search form with the following fields and controls:

- Suchtext**: A text input field for the search term.
- Ordner**: A text input field for the mail folder.
- von**: A date input field with calendar icons.
- bis**: A date input field with calendar icons.
- Betreff**: A text input field for the subject line.
- Aufsteigend**: A checkbox to sort results in ascending order.
- Start**: A button to execute the search.

... in the subject line or the text "holiday" and it is since 15.12.2006 in any mail folder contained...



The 'Mail finden' window is shown with the following filters applied:

- Suchtext**: Urlaub
- von**: 15.12.2006
- bis**: (empty)
- Aufsteigend**: ☐
- Start**: A mouse cursor is hovering over the button.

... found and listed.



The 'Liste' window displays the search results in a table format. The title bar shows 'Liste 01.01.2007 22:19:17'. The table has columns for 'Zeit' (Time) and 'Betreff' (Subject). The first column contains checkboxes and a '+' icon for each entry.

	Zeit	Betreff
1 ☐ + ✉	21.12.2006 15:19:25	Abwesenheit beantragen Schaub Peter, Urlaub von 21.12.2006 bis 22.12.2006
2 ☐ + ✉	21.12.2006 11:22:36	Freigegeben: Abwesenheit beantragen Schaub Peter, Urlaub von 02.01.2007 bis 22.01.2007
3 ☐ + ✉	21.12.2006 11:21:49	Abwesenheit beantragen Schaub Peter, Urlaub von 02.01.2007 bis 22.01.2007

...Continued

From:
<https://infodesire.net/dokuwiki/> - **Projectile-Online-Handbuch**

Permanent link:
https://infodesire.net/dokuwiki/doku.php?id=en:handbuch:kapitel_3:3.04.1_mailsystem_mailer_fortsetzung&rev=1259682027 

Last update: **2019/10/25 14:09**