



[previous](#) [Home](#) [next](#)

# 3.07.2 History

Every change is journalized by an activation of the history. By using the function  you can view the changes in the mask (with an appropriate permission).



In the example three changes are journalized: The attachment of the document and the three changes ...

History Beleg 221 Mietwagen					
Alter	Zeit	Historienereignis	Benutzer	Details	Historisches Dokument
0:04 h	09.12.2006 23:36:09	Geändert (2)	Schaub Peter	...	
0:21 h	09.12.2006 23:19:13	Erzeugt	Schaub Peter		

History Receipt 9 rental car					
Age	Timestamp	History event	User	Details	Historic document
0:04 h	07.12.2009 12:43:16	Changed (3)	Conner Jane	...	
0:10 h	07.12.2009 12:37:10	Created	Conner Jane		

... in the field project and employee.

History Beleg 221 Mietwagen

Alter	Zeit	Historienereignis	Benutzer	Details	Historisches Dokument
0:05 h	09.12.2006 23:36:09	Geändert (2)	Schaub Peter		
		Feld	Alter	Wert	Neu
		1. Mitarbeiter	Schaub Peter	Schröder Sandra	
		2. Projekt	BS06 Einführung Projectile	CS07 Einführung Projectile	
0:22 h	09.12.2006 23:19:13	Erzeugt	Schaub Peter		

History Receipt 9 rental car

Age	Timestamp	History event	User	Details	Historic document
0:06 h	07.12.2009 12:43:16	Changed (3)	Conner Jane		
		Field	OldValue	NewValue	
		1. Original currency amount	450	470	
		2. Amount total	517,5	540,5	
		3. ReceiptAmount	450	470	
0:12 h	07.12.2009 12:37:10	Created	Conner Jane		

The history can be closed like every other mask with .

From: <https://infodesire.net/dokuwiki/> - **Projectile-Online-Handbuch**

Permanent link: [https://infodesire.net/dokuwiki/doku.php?id=en:handbuch:kapitel\\_3:3.07.2\\_historie&rev=1260187353](https://infodesire.net/dokuwiki/doku.php?id=en:handbuch:kapitel_3:3.07.2_historie&rev=1260187353)

Last update: **2019/10/25 14:09**

